

2025 Lexmark Federal Government TAA Compliant Product Line-up



Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV Printers

CS632dwe	CS730de	CS735de	CS963g
▶ Up to 42 ppm ▶ 4.3 inch touch screen	▶ Up to 42 ppm ▶ 4.3 inch touch screen	▶ Up to 52 ppm ▶ 4.3 inch touch screen	▶ Up to 55 ppm ▶ 4.3 inch touch screen
50MT061 (110V) N/A (220V)	47CT001 (110V) 47CT021 (220V)	47CT101 (110V) 47CT121 (220V)	20LT200 (110V) 20LT300 (220V)

CAC/PIV MFPs

CX532adwe	CX635adwe	CX730de	CX735adse	CX825de	CX825dte	CX825dtfe
▶ Up to 35 ppm ▶ 4.3 inch touch screen ▶ Includes HDD and OCR	▶ Up to 42 ppm ▶ 7 inch touch screen ▶ Includes HDD and OCR	▶ Up to 42 ppm ▶ 7 inch touch screen	▶ Up to 52 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen
50MT741 (110V) 50MT751 (220V)	50MT781 (110V) 50MT791 (220V)	47CT501 (110V) 47CT521 (220V)	47CT601 (110V) 47CT621 (220V)	42KT140 (110V) 42KT250 (220V)	42KT141 (110V) 42KT251 (220V)	42KT142 (110V) N/A (220V)

				<p> Color</p> <p> Solutions-Enabled</p> <p> Tabloid / 11x17 media support</p> <p>ppm: Pages per minute N/A: Not Available (Part number)</p> <p>For all TAA models, wireless is not present or is removable.</p> <p>a = analog fax d = duplex t = additional tray included x = high capacity feeder tray included e = embedded solutions framework f = finisher g = Government h or s = hard disk</p>
CX833g	CX833xg	CX860de	CX860dte	
▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 60 ppm ▶ 10 inch touch screen	▶ Up to 60 ppm ▶ 10 inch touch screen	
20LT207 (110V) 20LT307 (220V)	20LT211 (110V) 20LT311 (220V)	42KT170 (110V) 42KT280 (220V)	42KT171 (110V) N/A (220V)	















2025 Lexmark Federal Government TAA Compliant Product Line-up



Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV MFPs

 A3	 A3	 A3	 A3	 A3	 A3	 A3
CX860dtfe	CX942adse	CX943adtse	CX943adxse	CX944adtse	CX944adxse	CX950g
<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 45 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 25 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR
42KT172 (110V) N/A (220V)	32DT025 (110V) 32DT035 (220V)	32DT026 (110V) 32DT036 (220V)	32DT027 (110V) 32DT037 (220V)	32DT028 (110V) 32DT038 (220V)	32DT029 (110V) 32DT039 (220V)	20LT201 (110V) 20LT301 (220V)
 A3	 A3	 A3	 A3	 A3	 A3	 A3
CX951g	CX961g	CX961tg	CX962g	CX962tg	CX963g	CX963xg
<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 45 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 45 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR
20LT202 (110V) 20LT302 (220V)	20LT203 (110V) 20LT303 (220V)	20LT208 (110V) 20LT308 (220V)	20LT204 (110V) 20LT304 (220V)	20LT209 (110V) 20LT309 (220V)	20LT205 (110V) 20LT305 (220V)	20LT210 (110V) 20LT310 (220V)

- Color
- Solutions-Enabled
- Tabloid / 11x17 media support

For all TAA models, wireless is not present or is removable.

ppm: Pages per minute
 N/A: Not Available (Part number)
 a = analog fax
 d = duplex
 t = additional tray included
 x = high capacity feeder tray included

e = embedded solutions framework
 f = finisher
 g = Government

2025 Lexmark Federal Government TAA Compliant Product Line-up



Color and monochrome multifunction printers TAA compliant part numbers



Non-CAC Printers

CS531dw	CS632dwe	CS730de	CS735de	CS963g
▶ Up to 35 ppm ▶ 2.8 inch touch screen	▶ Up to 42 ppm ▶ 4.3 inch touch screen	▶ Up to 42 ppm ▶ 4.3 inch touch screen	▶ Up to 52 ppm ▶ 4.3 inch touch screen	▶ Up to 55 ppm ▶ 4.3 inch touch screen
50MT020 (110V) 50MT030 (220V)	50MT060 (110V) N/A (220V)	47CT000 (110V) 47CT020 (220V)	47CT100 (110V) 47CT120 (220V)	20LT000 (110V) 20LT100 (220V)

Non-CAC MFPs

CX532adwe	CX730de	CX735adse	CX825de	CX825dte	CX825dtfe
▶ Up to 35 ppm ▶ 4.3 inch touch screen ▶ Includes HDD and OCR	▶ Up to 42 ppm ▶ 7 inch touch screen	▶ Up to 52 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen
50MT740 (110V) 50MT750 (220V)	47CT500 (110V) 47CT520 (220V)	47CT600 (110V) 47CT620 (220V)	42KT040 (110V) 42KT150 (220V)	42KT041 (110V) 42KT151 (220V)	42KT042 (110V) 42KT152 (220V)
CX833g	CX833xg	CX860de	CX860dte	CX860dtfe	CX942adse
▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 60 ppm ▶ 10 inch touch screen	▶ Up to 60 ppm ▶ 10 inch touch screen	▶ Up to 60 ppm ▶ 10 inch touch screen	▶ Up to 45 ppm ▶ 10 inch touch screen
20LT007 (110V) 20LT107 (220V)	20LT011 (110V) 20LT111 (220V)	42KT070 (110V) 42KT180 (220V)	42KT071 (110V) 42KT181 (220V)	42KT072 (110V) 42KT182 (220V)	32DT005 (110V) 32DT015 (220V)

- Color
- Solutions-Enabled
- A3 Tabloid / 11x17 media support
- ppm: Pages per minute
- N/A: Not Available (Part number)
- For all TAA models, wireless is not present or is removable.

- a = analog fax
- d = duplex
- n = network
- t = additional tray included
- e = embedded solutions framework
- f = finisher
- g = Government
- h or s = hard disk
















2025 Lexmark Federal Government TAA Compliant Product Line-up



Color and monochrome multifunction printers TAA compliant part numbers



Non-CAC MFPs

 A3	 A3	 A3	 A3	 A3	 A3	 A3	 A3	
CX943adtse	CX943adxse	CX944adtse	CX944adxse	CX950g	CX951g	CX961g	CX961tg	
▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 65 ppm ▶ 10 inch touch screen	▶ Up to 65 ppm ▶ 10 inch touch screen	▶ Up to 25 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 35 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 35 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 35 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	
32DT006 (110V) 32DT016 (220V)	32DT007 (110V) 32DT017 (220V)	32DT008 (110V) 32DT018 (220V)	32DT009 (110V) 32DT019 (220V)	20LT001 (110V) 20LT101 (220V)	20LT002 (110V) 20LT102 (220V)	20LT003 (110V) 20LT103 (220V)	20LT008 (110V) 20LT108 (220V)	
 A3	 A3	 A3	 A3	 Color  Solutions-Enabled  Tabloid / 11x17 media support ppm: Pages per minute N/A: Not Available (Part number) For all TAA models, wireless is not present or is removable.				a = analog fax d = duplex t = additional tray included x = high capacity feeder tray included e = embedded solutions framework f = finisher g = Government
CX962g	CX962tg	CX963g	CX963xg					
▶ Up to 45 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 45 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR	▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR					
20LT004 (110V) 20LT104 (220V)	20LT009 (110V) 20LT109 (220V)	20LT005 (110V) 20LT105 (220V)	20LT010 (110V) 20LT110 (220V)					

2025 Lexmark Federal Government TAA Compliant Product Line-up



Color and monochrome multifunction printers TAA compliant part numbers



Mono

CAC/PIV Printers

MS632dwe	MS822de	MS826de
<ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 4.3 inch touch screen
38ST505 (110V) N/A (220V)	50GT155 (110V) 50GT165 (220V)	50GT355 (110V) 50GT365 (220V)

CAC/PIF MFPs

MX432adwe	MX532adwe	MX632adwe	MX721adhe	MX722ade	MX822ade
<ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 46 ppm ▶ 4.3 in touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 7 in touch screen ▶ Includes HDD and OCR 	<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen
29ST022 (110V) 29ST023 (220V)	38ST825 (110V) 38ST835 (220V)	38ST905 (110V) 38ST915 (220V)	25BT016 (110V) 25BT021 (220V)	25BT017 (110V) 25BT022 (220V)	25BT636 (110V) 25BT654 (220V)
MX822adx	MX826ade	MX826adtfe	MX826adx	MX953g	
<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR 	
25BT637 (110V) N/A (220V)	25BT646 (110V) 25BT664 (220V)	25BT649 (110V) 25BT667 (220V)	25BT647 (110V) N/A (220V)	20LT206 (110V) 20LT306 (220V)	



Monochrome



Solutions-Enabled



Tabloid / 11x17 media support

ppm: Pages per minute
CAC/PIV: PKI Authentication
N/A: Not Available (Part number)

a=analog fax
d=duplex
t=additional tray included
x=high capacity feeder tray included
e=embedded solutions framework

f=finisher
g = Government
h or s = hard disk

For all TAA models, wireless is not present or is removable.

2025 Lexmark Federal Government TAA Compliant Product Line-up



Color and monochrome multifunction printers TAA compliant part numbers








Mono

Non-CAC Printers

				
MS431dn	MS531dw	MS631dw	MS632dwe	MS821dn
<ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 2-line APA mono LCD display 	<ul style="list-style-type: none"> ▶ Up to 46 ppm ▶ 2.8 in touch screen 	<ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 2.8 in touch screen 	<ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 4.3 in touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 2.4 inch touch screen
29ST001 (110V) 29ST003 (220V)	38ST300 (110V) 38ST310 (220V)	38ST400 (110V) 38ST410 (220V)	N/A (110V) 38ST510 (220V)	50GT100 (110V) 50GT120 (220V)
				
MS822de	MS823dn	MS825dn	MS826de	
<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 2.4 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 2.4 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 4.3 inch touch screen 	
50GT110 (110V) 50GT130 (220V)	50GT200 (110V) 50GT220 (220V)	50GT300 (110V) 50GT320 (220V)	50GT310 (110V) 50GT330 (220V)	

Non-CAC MFPs

				
MX431adn	MX721adhe	MX722ade	MX822ade	MX822adte
<ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 2.8 in touch screen 	<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen
29ST010 (110V) 29ST011 (220V)	25BT006 (110V) 25BT011 (220V)	25BT007 (110V) 25BT012 (220V)	25BT600 (110V) 25BT618 (220V)	25BT604 (110V) N/A (220V)

- Monochrome
- Solutions-Enabled
- Tabloid / 11x17 media support

For all TAA models, wireless is not present or is removable.

ppm: Pages per minute
CAC/PIV: PKI Authentication
N/A: Not Available (Part number)

a=analog fax
d=duplex
n=network
t=additional tray included
e=embedded solutions framework

g = Government
h or s = hard disk

2025 Lexmark Federal Government TAA Compliant Product Line-up








Color and monochrome multifunction printers TAA compliant part numbers



Mono

Non-CAC MFPs

				 A3
MX822adx	MX826ade	MX826adtfe	MX826adx	MX953g
<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR
25BT601 (110V) N/A (220V)	25BT610 (110V) 25BT628 (220V)	25BT613 (110V) 25BT631 (220V)	25BT611 (110V) N/A (220V)	20LT006 (110V) 20LT106 (220V)



Monochrome



Solutions-Enabled



Tabloid / 11x17 media support


ppm: Pages per minute

CAC/PIV: PKI Authentication

N/A: Not Available (Part number)

For all TAA models, wireless is not present or is removable.

a=analog fax
 d=duplex
 t=additional tray included
 x=high capacity feeder tray included
 e=embedded solutions framework
 f=finisher
 g = Government
 w = Wi-Fi standard



Lexmark for government

Lexmark's comprehensive lineup of imaging products covers a full spectrum of budgets, business objectives, performance goals and workloads, from individual users to large workgroups. Lexmark is one vendor that truly has it all, offering government buyers a wide range of choices.

To meet our customers' varied needs, every Lexmark printer and MFP model has a unique combination of print speed, color modes, paper formats, processing capabilities, inputs/outputs and network connection types. But they all share a set of high-level goals

that drive Lexmark product design, a combination of attributes that form the DNA of every Lexmark product. For example, ease of use is woven into every Lexmark product, including mobility support to help your staff get their work completed in the easiest and quickest way possible.

Lexmark's emphasis on performance means not just fast printing and scanning, but long maintenance intervals and ingenious ways to enhance efficiency. And our drive for quality is obvious in the clarity of our imaging technology and proven by million-page testing.

Designed-in flexibility gives every Lexmark product the ability to adapt to your needs as your business and its objectives evolve, while our manageability features let you monitor and control just a handful of devices or a fleet of thousands.

And across the line is Lexmark's long-standing commitment to security, which creates not just a safer but a more productive environment for users of Lexmark products.