

2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV Printers and MFPs

CS622de	CS730de	CS735de	CS820de	CS943de
<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen
42CT081 (110V) 42CT091 (220V)	47CT001 (110V) 47CT021 (220V)	47CT120 (110V) 47CT121 (220V)	21KT002 (110V) N/A (220V)	32DT020 (110V) 32DT030 (220V)
CX522ade	CX622ade	CX625ade	CX625adhe	CX730de
<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 7 inch touch screen
42CT361 (110V) 42CT371 (220V)	42CT381 (110V) 42CT391 (220V)	42CT781 (110V) 42CT791 (220V)	42CT881 (110V) 42CT891 (220V)	47CT501 (110V) 47CT521 (220V)
CX735adse	CX820de	CX820dtfe	CX825de	CX825dte
<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen
47CT601 (110V) 47CT621 (220V)	42KT110 (110V) 42KT220 (220V)	42KT112 (110V) N/A (220V)	42KT140 (110V) 42KT250 (220V)	42KT141 (110V) 42KT251 (220V)
			Color Solutions-Enabled ppm: Pages per minute PCSF: Print Copy Scan Fax TAA: TAA Compliant CC: Common Criteria Certified NA: Not Available (Part number)	
CX825dtfe	CX860de	CX860dte	Color Solutions-Enabled ppm: Pages per minute PCSF: Print Copy Scan Fax TAA: TAA Compliant CC: Common Criteria Certified NA: Not Available (Part number)	
<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen 	Color Solutions-Enabled ppm: Pages per minute PCSF: Print Copy Scan Fax TAA: TAA Compliant CC: Common Criteria Certified NA: Not Available (Part number)	
42KT142 (110V) N/A (220V)	42KT170 (110V) 42KT280 (220V)	42KT171 (110V) N/A (220V)	Color Solutions-Enabled ppm: Pages per minute PCSF: Print Copy Scan Fax TAA: TAA Compliant CC: Common Criteria Certified NA: Not Available (Part number)	

= analog fax
 = duplex
n = network
t = additional tray included
x = high capacity feeder included
e = embedded solutions framework*
f = finisher
h = hard disk
v = vinyl media
s = Intelligent Storage Drive (ISD)

2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV Printers and MFPs

CX860dtfe	CX930dse	CX931dse	CX931dtse	CX942adse
▶ Up to 60 ppm ▶ 10 inch touch screen	▶ Up to 25 ppm ▶ 7 inch touch screen	▶ Up to 35 ppm ▶ 7 inch touch screen	▶ Up to 35 ppm ▶ 7 inch touch screen	▶ Up to 45 ppm ▶ 10 inch touch screen
42KT172 (110V) N/A (220V)	32DT022 (110V) 32DT032 (220V)	32DT023 (110V) 32DT033 (220V)	32DT024 (110V) 32DT034 (220V)	32DT025 (110V) 32DT035 (220V)

CX943adtse	CX943adxse	CX944adtse	CX944adxse
▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 65 ppm ▶ 10 inch touch screen	▶ Up to 65 ppm ▶ 10 inch touch screen
32DT026 (110V) 32DT036 (220V)	32DT027 (110V) 32DT037 (220V)	32DT028 (110V) 32DT038 (220V)	32DT029 (110V) 32DT039 (220V)



Solutions-Enabled

ppm: Pages per minute

PCSF: Print Copy Scan Fax

TAA: TAA Compliant

CC: Common Criteria Certified

NA: Not Available (Part number)

a = analog fax

d = duplex

n = network

t = additional tray included

x = high capacity feeder included

e = embedded solutions framework*

f = finisher

h = hard disk

v = vinyl media

s = Intelligent Storage Drive (ISD)

2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



Non-CAC Printers and MFPs

CS521dn	CS622de	CS730de	CS735de	CS820de
<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 2.4 inch display 	<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen
42CT060 (110V) 42CT070 (220V)	42CT080 (110V) 42CT090 (220V)	47CT000 (110V) 47CT001 (220V)	47CT100 (110V) 47CT101 (220V)	21KT000 (110V) 21KT001 (220V)
CS820dte	CS820dtfe	CS943de	CX522ade	CX622ade
<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 4.3 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 4.3 inch touch screen
21KT004 (110V) 21KT005 (220V)	21KT006 (110V) 21KT007 (220V)	32DT000 (110V) 32DT010 (220V)	42CT360 (110V) 42CT370 (220V)	42CT380 (110V) 42CT390 (220V)
CX625ade	CX625adhe	CX730de	CX735adse	CX820de
<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 40 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 42 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen
42CT780 (110V) 42CT790 (220V)	42CT880 (110V) 42CT890 (220V)	47CT500 (110V) 47CT520 (220V)	47CT600 (110V) 47CT620 (220V)	42KT010 (110V) 42KT120 (220V)
		<p> Color Solutions-Enabled ppm: Pages per minute PCSF: Print Copy Scan Fax TAA: TAA Compliant CC: Common Criteria Certified NA: Not Available (Part number)</p>		
CX820dtfe	CX825de	<p>a = analog fax d = duplex n = network t = additional tray included x = high capacity feeder included e = embedded solutions framework* f = finisher h = hard disk v = vinyl media s = Intelligent Storage Drive (ISD)</p>		
<ul style="list-style-type: none"> ▶ Up to 52 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<p>42KT012 (110V) 42KT122 (220V)</p>		
<p>42KT040 (110V) 42KT150 (220V)</p>				

2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



Non-CAC Printers and MFPs

CX825dte	CX825dtfe	CX860de	CX860dte	CX860dtfe
<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 60 ppm ▶ 10 inch touch screen
42KT041 (110V) 42KT151 (220V)	42KT042 (110V) 42KT152 (220V)	42KT070 (110V) 42KT180 (220V)	42KT071 (110V) 42KT181 (220V)	42KT072 (110V) 42KT182 (220V)
CX930dse	CX931dse	CX931dtse	CX942adse	CX943adtse
<ul style="list-style-type: none"> ▶ Up to 25 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 35 ppm ▶ 7 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 45 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen
32DT002 (110V) 32DT012 (220V)	32DT003 (110V) 32DT013 (220V)	32DT004 (110V) 32DT014 (220V)	32DT005 (110V) 32DT015 (220V)	32DT006 (110V) 32DT016 (220V)
			<p> Color Solutions-Enabled ppm: Pages per minute PCSF: Print Copy Scan Fax TAA: TAA Compliant CC: Common Criteria Certified NA: Not Available (Part number)</p>	
CX943adxse	CX944adtse	CX944adxse	<p>a = analog fax d = duplex n = network t = additional tray included x = high capacity feeder included e = embedded solutions framework* f = finisher h = hard disk v = vinyl media s = Intelligent Storage Drive (ISD)</p>	
<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 10 inch touch screen 	<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 10 inch touch screen 		
32DT007 (110V) 32DT017 (220V)	32DT008 (110V) 32DT018 (220V)	32DT009 (110V) 32DT019 (220V)		



2023 Lexmark Federal Product Line-up

Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV Printers and MFPs

MS632dwe		MS822de		MS826de	
<ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 4.3 in touch screen 		<ul style="list-style-type: none"> ▶ Up to 55 ppm ▶ 4.3 inch touch screen 		<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 4.3 inch touch screen 	
38ST505 (110V) N/A (220V)		50GT155 (110V) 50GT165 (220V)		50GT355 (110V) 50GT365 (220V)	
MX632adwe		MX721adhe		MX722ade	
<ul style="list-style-type: none"> ▶ Up to 50 ppm ▶ 7 in touch screen ▶ Includes HDD and OCR 		<ul style="list-style-type: none"> ▶ Up to 65 ppm ▶ 7 inch touch screen 		<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 7 inch touch screen 	
38ST905 (110V) 38ST915 (220V)		25BT016 (110V) 25BT021 (220V)		25BT017 (110V) 25BT022 (220V)	
MX826ade		MX826adtfe		MX826adxe	
<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 		<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 		<ul style="list-style-type: none"> ▶ Up to 70 ppm ▶ 10 inch touch screen 	
25BT646 (110V) 25BT664 (220V)		25BT649 (110V) 25BT667 (220V)		25BT647 (110V) N/A (220V)	
MX931dse					



ppm: Pages per minute

PCSF: Print Copy Scan Fax

TAA: TAA Compliant

CC: Common Criteria Certified

CAC/PIV: PKI Authentication

NA: Not Available (Part number)

*MX521de/ade do not include the embedded solutions framework and do not support optional Lexmark or third-party solutions.

a=analog fax

d=duplex

n=network

t=additional tray included

x=high capacity feeder included

e=embedded solutions framework*

f=finisher

h=hard disk

v=vinyl media

s=Intelligent Storage Drive (ISD)

2023 Lexmark Federal Product Line-up


Color and monochrome multifunction printers TAA compliant part numbers




Mono

Non-CAC Printers and MFPs

	 MS531dw	 MS631dw	 MS632dwe	 MS821dn
▶ Up to 42 ppm ▶ 2-line APA mono LCD display 29ST001 (110V) 29ST003 (220V)	▶ Up to 46 ppm ▶ 2.8 in touch screen 38ST300 (110V) 38ST310 (220V)	▶ Up to 50 ppm ▶ 2.8 in touch screen 38ST400 (110V) 38ST410 (220V)	▶ Up to 50 ppm ▶ 4.3 in touch screen 38ST500 (110V) 38ST510 (220V)	▶ Up to 55 ppm ▶ 2.4 inch touch screen 50GT100 (110V) 50GT120 (220V)
 MS822de	 MS823dn	 MS825dn	 MS826de	 MX431adn
▶ Up to 55 ppm ▶ 4.3 inch touch screen 50GT110 (110V) 50GT130 (220V)	▶ Up to 65 ppm ▶ 2.4 inch touch screen 50GT200 (110V) 50GT220 (220V)	▶ Up to 70 ppm ▶ 2.4 inch touch screen 50GT300 (110V) 50GT320 (220V)	▶ Up to 70 ppm ▶ 4.3 inch touch screen 50GT310 (110V) 50GT330 (220V)	▶ Up to 42 ppm ▶ 2.8 in touch screen 29ST010 (110V) 29ST011 (220V)
 MX721adhe	 MX722ade	 MX822ade	 MX822adte	
▶ Up to 65 ppm ▶ 7 inch touch screen 25BT006 (110V) 25BT011 (220V)	▶ Up to 70 ppm ▶ 7 inch touch screen 25BT007 (110V) 25BT012 (220V)	▶ Up to 55 ppm ▶ 10 inch touch screen 25BT600 (110V) 25BT618 (220V)	▶ Up to 55 ppm ▶ 10 inch touch screen 25BT604 (110V) N/A (220V)	



Solutions-Enabled



ppm: Pages per minute

PCSF: Print Copy Scan Fax

TAA: TAA Compliant

CC: Common Criteria Certified

CAC/PIV: PKI Authentication

NA: Not Available (Part number)

*MX521de/ade do not include the embedded solutions framework and do not support optional Lexmark or third-party solutions.

a=analog fax
d=duplex
n=network
t=additional tray included
x=high capacity feeder included
e=embedded solutions framework*
f=finisher
h=hard disk
v=vinyl media
s=Intelligent Storage Drive (ISD)

2023 Lexmark Federal Product Line-up


Color and monochrome multifunction printers TAA compliant part numbers



Mono

Non-CAC Printers and MFPs

MX822adxe	MX826ade	MX826adtfe	MX826adxe	MX931dse
▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 70 ppm ▶ 10 inch touch screen	▶ Up to 70 ppm ▶ 10 inch touch screen	▶ Up to 70 ppm ▶ 10 inch touch screen	▶ Up to 35 ppm ▶ 7 inch touch screen
25BT601 (110V) N/A (220V)	25BT610 (110V) 25BT628 (220V)	25BT613 (110V) 25BT631 (220V)	25BT611 (110V) N/A (220V)	32DT001 (110V) 32DT011 (220V)



Solutions-Enabled

ppm: Pages per minute

PCSF: Print Copy Scan Fax

TAA: TAA Compliant

CC: Common Criteria Certified

CAC/PIV: PKI Authentication

NA: Not Available (Part number)

*MX521de/ade do not include the embedded solutions framework and do not support optional Lexmark or third-party solutions.

a=analog fax

d=duplex

n=network

t=additional tray included

x=high capacity feeder included


e=embedded solutions framework*

f=finisher

h=hard disk

v=vinyl media

s=Intelligent Storage Drive (ISD)



Lexmark for government

Lexmark's comprehensive lineup of imaging products covers a full spectrum of budgets, business objectives, performance goals and workloads, from individual users to large workgroups. Lexmark is one vendor that truly has it all, offering government buyers a wide range of choices.

To meet our customers' varied needs, every Lexmark printer and MFP model has a unique combination of print speed, color modes, paper formats, processing capabilities, inputs/outputs and network connection types. But they all share a set of high-level goals

that drive Lexmark product design, a combination of attributes that form the DNA of every Lexmark product. For example, ease of use is woven into every Lexmark product, including mobility support to help your staff get their work completed in the easiest and quickest way possible.

Lexmark's emphasis on performance means not just fast printing and scanning, but long maintenance intervals and ingenious ways to enhance efficiency. And our drive for quality is obvious in the clarity of our imaging technology and proven by million-page testing.

Designed-in flexibility gives every Lexmark product the ability to adapt to your needs as your business and its objectives evolve, while our manageability features let you monitor and control just a handful of devices or a fleet of thousands.

And across the line is Lexmark's long-standing commitment to security, which creates not just a safer but a more productive environment for users of Lexmark products.